

ADVICE TO "FLU" CONVALESCENTS

SPAIN AND ENGLAND REPORT INCREASE IN TUBERCULOSIS AFTER INFLUENZA EPIDEMIC.

U. S. Public Health Service Warns Public Against Tuberculosis. One Million Cases Tuberculosis in United States—Each a Source of Danger.

Influenza Convalescents Should Have Lungs Examined—Colds Which Hang On Often Beginning of Tuberculosis. No Cause for Alarm If Tuberculosis Is Recognized Early—Patent Medicines Not to Be Trusted.

★ Beware tuberculosis after In- ★
★ fluenza. No need to worry if ★
★ you take precautions in time. ★

★ Don't diagnose your own con- ★
★ dition. Have your doctor exam- ★
★ ine your lungs several times at ★
★ monthly intervals. Build up your ★
★ strength with right living, good ★
★ food and plenty of fresh air. ★

★ Don't waste money on patent ★
★ medicines advertised to cure tu- ★
★ berculosis. ★

★ Become a fresh-air crank and ★
★ enjoy life. ★

Washington, D. C. (Special.)—According to a report made to the United States Public Health Service, the epidemic of influenza in Spain has already caused an increase in the prevalence and deaths from pulmonary tuberculosis. A similar association between influenza and tuberculosis was recently made by Sir Arthur Newsholme, the chief medical officer of the English public health service, in his analysis of the tuberculosis death rate in England.

In order that the people of the United States may profit by the experience of other countries Surgeon General Rupert Blue of the United States Public Health Service has just issued a warning emphasizing the need of special precautions at the present time. "Experience seems to indicate," says the Surgeon General, "that persons whose resistance has been weakened by an attack of influenza are peculiarly susceptible to tuberculosis. With millions of its people recently affected with influenza this country now offers conditions favoring the spread of tuberculosis."

One Million Consumptives in the United States.

"Then you consider this a serious menace?" was asked. "In my opinion it is, though I hasten to add it is distinctly one against which the people can guard. So far as one can estimate there are at present about one million cases of tuberculosis in the United States. There is unfortunately no complete census available to show exactly the number of tuberculous persons in each state despite the fact that most of the states have made the disease reportable. In New York city, where reporting has been in force for many years, over 35,000 cases of tuberculosis are registered with the Department of Health. Those familiar with the situation believe that the addition of unrecognized and unreported cases would make the number nearer 50,000. The very careful health survey conducted during the past two years in Framingham, Mass., revealed 200 cases of tuberculosis in a population of approximately 15,000. If these proportions hold true for the United States as a whole they would indicate that about one in every hundred persons is tuberculous. Each of these constitutes a source of danger to be guarded against."